

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**







As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.

In the Claims:


--13. (Twice Amended) A compound having the structure:



wherein A is



or



wherein each of Y<sub>1</sub>, Y<sub>2</sub>, Y<sub>3</sub>, Y<sub>4</sub> and Y<sub>5</sub> is independently -H;

Wai C. Wong, et al.

Serial No.: 09/855,597

Filed : May 15, 2001

Page 3

C'  
D'  
Conf

straight chained or branched  $C_1$ - $C_7$  alkyl, monofluoroalkyl or polyfluoroalkyl; straight chained or branched  $C_2$ - $C_7$  alkenyl or alkynyl;  $C_3$ - $C_7$  cycloalkyl, monofluorocycloalkyl, polyfluorocycloalkyl or cycloalkenyl; -F, -Cl, -Br, or -I; - $NO_2$ ; - $N_3$ ; -CN; - $OR_4$ , - $OCOR_4$ , - $COR_4$ , - $CONHR_4$ , - $CON(R_4)_2$ , or - $COOR_4$ ; or any two of  $Y_1$ ,  $Y_2$ ,  $Y_3$ ,  $Y_4$  and  $Y_5$  present on adjacent carbon atoms can constitute a methylenedioxy group;

wherein X is S; O; or  $NR_3$ ;

wherein B is -H; straight chained or branched  $C_1$ - $C_7$  alkyl, monofluoroalkyl or polyfluoroalkyl; alkoxy or thioalkyl; straight chained or branched  $C_2$ - $C_7$  alkenyl; - $SCH_2C_6H_4OR_4$ , - $(CH_2)_nC_6H_5$ , - $CH_2X(CH_2)_nNHR_4$ ; - $(CH_2)_nNHR_4$ ; or - $OR_4$  with the proviso that B cannot be -OH or - $OCH_3$ ;

wherein  $R_1$  is -H; - $NO_2$ ; -CN; straight chained or branched  $C_1$ - $C_7$  alkyl, monofluoroalkyl or polyfluoroalkyl; straight chained or branched  $C_2$ - $C_7$  alkenyl or alkynyl;  $C_3$ - $C_7$  cycloalkyl, monofluorocycloalkyl, polyfluorocycloalkyl or cycloalkenyl; - $N(R_4)_2$ ; - $OR_4$ ; - $(CH_2)_pOR_4$ ; - $COR_4$ ; - $CO_2R_4$ ; or - $CON(R_4)_2$ ;

wherein  $R_2$  is -H; straight chained or branched  $C_1$ - $C_7$  alkyl, hydroxyalkyl, alkoxyalkyl, aminoalkyl, monofluoroalkyl or polyfluoroalkyl; straight chained or branched  $C_2$ - $C_7$  alkenyl or

Wai C. Wong, et al.

Serial No.: 09/855,597

Filed : May 15, 2001

Page 4


C'  
D'  
Cond

alkynyl; C<sub>3</sub>-C<sub>7</sub> cycloalkyl, monofluorocycloalkyl, polyfluorocycloalkyl or cycloalkenyl; C<sub>3</sub>-C<sub>10</sub> cycloalkyl-C<sub>1</sub>-C<sub>10</sub>-alkyl, C<sub>3</sub>-C<sub>10</sub> cycloalkyl-C<sub>1</sub>-C<sub>10</sub>-monofluoroalkyl or C<sub>3</sub>-C<sub>10</sub> cycloalkyl-C<sub>1</sub>-C<sub>10</sub>-polyfluoroalkyl; -CN; -CH<sub>2</sub>XR<sub>4</sub>, -CH<sub>2</sub>X(CH<sub>2</sub>)<sub>p</sub>NHR<sub>4</sub>, -(CH<sub>2</sub>)<sub>n</sub>NHR<sub>4</sub>, -CH<sub>2</sub>X(CH<sub>2</sub>)<sub>p</sub>N(R<sub>4</sub>)<sub>2</sub>, or -CH<sub>2</sub>X(CH<sub>2</sub>)<sub>p</sub>NHCXR<sub>7</sub>; or -OR<sub>4</sub>;

wherein each p is independently an integer from 1 to 7;

wherein each n is independently an integer from 0 to 5;

wherein R<sub>3</sub> is



wherein Z is C<sub>2</sub>-C<sub>7</sub> alkenyl or alkynyl; CH<sub>2</sub>; O; CO; CO<sub>2</sub>; CONR<sub>4</sub>; S; SO; SO<sub>2</sub>; or NR<sub>4</sub>;

wherein Z' is (CH<sub>2</sub>)<sub>o</sub>, CO, (CH<sub>2</sub>)<sub>o</sub>CO, or CO(CH<sub>2</sub>)<sub>o</sub>;

wherein each D is independently CH<sub>2</sub>; O; S; NR<sub>4</sub>; CO; or CS;

wherein W is C=O; C=NOR<sub>4</sub>; substituted or unsubstituted phenyl, pyridyl, thiophenyl, furanyl, pyrazinyl, pyrrolyl, naphthyl, indolyl, imidazolyl, benzfurazanyl, benzfuranyl or

C'  
D'  
conf

benzimidazolyl, wherein the phenyl, pyridyl, thiophenyl, furanyl, pyrazinyl, pyrrolyl, naphthyl, indolyl, imidazolyl, benzfurazanyl, benzfuranyl or benzimidazolyl is substituted with -H, -F, -Cl, -Br, -I, -NO<sub>2</sub>, -CN, straight chained or branched C<sub>1</sub>-C<sub>7</sub> alkyl, straight chained or branched C<sub>1</sub>-C<sub>7</sub> monofluoroalkyl, straight chained or branched C<sub>1</sub>-C<sub>7</sub> polyfluoroalkyl, straight chained or branched C<sub>2</sub>-C<sub>7</sub> alkenyl, straight chained or branched C<sub>2</sub>-C<sub>7</sub> alkynyl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, C<sub>3</sub>-C<sub>7</sub> monofluorocycloalkyl, C<sub>3</sub>-C<sub>7</sub> polyfluorocycloalkyl, C<sub>3</sub>-C<sub>7</sub> cycloalkenyl, -N(R<sub>4</sub>)<sub>2</sub>, -OR<sub>4</sub>, -COR<sub>4</sub>, -CO<sub>2</sub>R<sub>4</sub>, or -CON(R<sub>4</sub>)<sub>2</sub>;

wherein each V is independently O; S; CH<sub>2</sub>; CR<sub>5</sub>R<sub>7</sub>; C(R<sub>7</sub>)<sub>2</sub>; or NR<sub>7</sub>;

wherein each m is independently an integer from 0 to 3;

wherein o is an integer from 1 to 3;

wherein each R is independently -H; -F; straight chained or branched C<sub>1</sub>-C<sub>7</sub> alkyl, monofluoroalkyl or polyfluoroalkyl; straight chained or branched C<sub>2</sub>-C<sub>7</sub> alkenyl or alkynyl; -N(R<sub>4</sub>)<sub>2</sub>; -NO<sub>2</sub>; -CN; -CO<sub>2</sub>R<sub>4</sub>; or -OR<sub>4</sub>;

wherein each R<sub>4</sub> is independently -H; straight chained or

C1  
D1  
cont  
branched C<sub>1</sub>-C<sub>7</sub> alkyl, monofluoroalkyl or polyfluoroalkyl;  
straight chained or branched C<sub>2</sub>-C<sub>7</sub> alkenyl or alkynyl; C<sub>3</sub>-C<sub>7</sub>  
cycloalkyl, monofluorocycloalkyl, polyfluorocycloalkyl or  
cycloalkenyl;

wherein R<sub>5</sub> is aryl or heteroaryl substituted with one or more  
F; Cl; Br; I; COR<sub>4</sub>; CO<sub>2</sub>R<sub>4</sub>; -CON(R<sub>4</sub>)<sub>2</sub>; CN; -NO<sub>2</sub>; -N(R<sub>4</sub>)<sub>2</sub>; -OR<sub>4</sub>; -  
SR<sub>4</sub>; (CH<sub>2</sub>)<sub>o</sub>OR<sub>4</sub>; (CH<sub>2</sub>)<sub>o</sub>SR<sub>4</sub>; straight chained or branched C<sub>1</sub>-C<sub>7</sub>  
alkyl, monofluoroalkyl, polyfluoroalkyl, aminoalkyl, or  
carboxamidoalkyl; straight chained or branched C<sub>2</sub>-C<sub>7</sub> alkenyl,  
C<sub>2</sub>-C<sub>7</sub> alkynyl; C<sub>3</sub>-C<sub>7</sub> cycloalkyl, monofluorocycloalkyl,  
polyfluorocycloalkyl, or cycloalkenyl;

wherein each R<sub>6</sub> is independently -H; straight chained or  
branched C<sub>1</sub>-C<sub>7</sub> alkyl, hydroxyalkyl, aminoalkyl, alkoxyalkyl,  
monofluoroalkyl or polyfluoroalkyl; straight chained or  
branched C<sub>2</sub>-C<sub>7</sub> alkenyl or alkynyl; C<sub>3</sub>-C<sub>7</sub> cycloalkyl,  
monofluorocycloalkyl, polyfluorocycloalkyl or cycloalkenyl; or  
-OR<sub>4</sub>;


wherein R<sub>7</sub> is aryl or heteroaryl substituted with one or more  
F; Cl; Br; I; COR<sub>4</sub>; CO<sub>2</sub>R<sub>4</sub>; -CON(R<sub>4</sub>)<sub>2</sub>; CN; -NO<sub>2</sub>; -N(R<sub>4</sub>)<sub>2</sub>; -OR<sub>4</sub>; -  
SR<sub>4</sub>; (CH<sub>2</sub>)<sub>o</sub>OR<sub>4</sub>; (CH<sub>2</sub>)<sub>o</sub>SR<sub>4</sub>; straight chained or branched C<sub>1</sub>-C<sub>7</sub>  
alkyl, monofluoroalkyl, polyfluoroalkyl, aminoalkyl, or

C'  
91  
cont

carboxamidoalkyl; straight chained or branched C<sub>2</sub>-C<sub>7</sub> alkenyl, C<sub>2</sub>-C<sub>7</sub> alkynyl; C<sub>3</sub>-C<sub>7</sub> cycloalkyl, monofluorocycloalkyl, polyfluorocycloalkyl, or cycloalkenyl;


wherein R<sub>3</sub> is -H; substituted or unsubstituted benzyl, benzoyl, phenyl, pyridyl, thiophenyl, furanyl, pyrazinyl, pyrrolyl, naphthyl, indolyl, imidazolyl, benzfurazanyl, benzfuranyl, benzimidazolyl or 2-keto-1-benzimidazolyl, wherein the benzyl, benzoyl, phenyl, pyridyl, thiophenyl, furanyl, pyrazinyl, pyrrolyl, naphthyl, indolyl, imidazolyl, benzfurazanyl, benzfuranyl, benzimidazolyl or 2-keto-1-benzimidazolyl is substituted with -H, -F, -Cl, -Br, -I, -NO<sub>2</sub>, -CN, straight chained or branched C<sub>1</sub>-C<sub>7</sub> alkyl, straight chained or branched C<sub>1</sub>-C<sub>7</sub> monofluoroalkyl, straight chained or branched C<sub>1</sub>-C<sub>7</sub> polyfluoroalkyl, straight chained or branched C<sub>2</sub>-C<sub>7</sub> alkenyl, straight chained or branched C<sub>2</sub>-C<sub>7</sub> alkynyl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, C<sub>3</sub>-C<sub>7</sub> monofluorocycloalkyl, C<sub>3</sub>-C<sub>7</sub> polyfluorocycloalkyl, C<sub>3</sub>-C<sub>7</sub> cycloalkenyl, -N(R<sub>4</sub>)<sub>2</sub>, -OR<sub>4</sub>, -COR<sub>4</sub>, -CO<sub>2</sub>R<sub>4</sub>, or -CON(R<sub>4</sub>)<sub>2</sub>; substituted or unsubstituted straight chained or branched C<sub>1</sub>-C<sub>7</sub> alkyl, monofluoroalkyl or polyfluoroalkyl; substituted or unsubstituted straight chained or branched C<sub>2</sub>-C<sub>7</sub> alkenyl or alkynyl; C<sub>3</sub>-C<sub>7</sub> cycloalkyl or cycloalkenyl, wherein the alkyl, monofluoroalkyl, polyfluoroalkyl, alkenyl, alkynyl, cycloalkyl or cycloalkenyl is substituted with -H, phenyl, pyridyl, thiophenyl, furanyl,

pyrazinyl, pyrrolyl, naphthyl, indolyl, imidazolyl, benzfurazanyl, benzfuranyl, benzimidazolyl,  $-N(R_4)_2$ ,  $-NO_2$ ,  $-CN$ ,  $-CO_2R_4$ ,  $-OR_4$ ;




or a pharmaceutically acceptable salt thereof.--

--17. (Twice Amended) The compound of claim 16 having the structure:



--58. (Amended) The compound of claims 17, wherein the compound has the structure:



Applicants submit herewith a Marked-Up Version of Amendments showing the changes made attached hereto as **Exhibit A**.